accessScan

Scan results for **precisefp.com**

Non-compliant

Your scan indicates serious accessibility issues on your webpage. Make your website accessible and ADA compliant to mitigate legal risks now.

Tue Oct 6, 2026

It's seems like your website isn't inclusive or accessible to people with disabilities.
[Connect Wordpress Site >]

49 We found 49 issues on your page

Issue severity



Issues detected by category

- 21 Interactive Content
- 6 Tabs
- 3 Graphics
- 0 Forms
- 0 Text Content
- 0 Tables
- 15 General
- 3 Landmarks
- 1 Lists
- 0 Breadcrumbs
- 0 Metadata

#	Element	Relevant	Successes	Failures	Score
1	A tablist without role="tablist" is not announced as a group of related tabs, which prevents screen reader users from recognizing the structure and purpose of the component. This makes it harder to navigate between tabs and understand that the controls belong to a single set.	Yes	0	2	0

Code snapshots of failed elements

1
```
<div class="cky-notice-btn-wrapper" data-cky-tag="notice-buttons"><button cl
ass="cky-btn cky-btn-customize" aria-label="Customize" aria-haspopup="dialo
g" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-button" style
="color: #7ba835; border...
```

2
```
<div class="elementor-form-fields-wrapper elementor-labels-"> <div class="el
ementor-field-type-email elementor-field-group elementor-column elementor-fi
eld-group-email elementor-col-100 elementor-field-required"> <label for="for
m-field-email" class="...
```

#	Element	Relevant	Successes	Failures	Score
2	Custom tabs must be explicitly defined for screen readers since there are no native HTML tab elements. Without assigning role="tab" to the interactive elements, assistive technology will not identify them as tabs, preventing users from understanding their function or navigating them as part of a tab interface.	Yes	0	4	0

Code snapshots of failed elements

1
```
<button class="cky-btn cky-btn-customize" aria-label="Customize" aria-haspop
up="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-butto
n" style="color: #7ba835; border-color: #7ba835; background-color: transpare
nt;" aria-expanded="fa...
```

2
```
<button class="cky-btn cky-btn-reject" aria-label="Reject All" data-cky-tag
="reject-button" style="color: #7ba835; border-color: #7ba835; background-co
lor: transparent;">Reject All</button>
```

3
```
<button class="cky-btn cky-btn-accept" aria-label="Accept All" data-cky-tag
="accept-button" style="color: #ffffff; border-color: #7ba835; background-co
lor: #7ba835;">Accept All</button>
```

4
```
<button class="elementor-button elementor-size-sm" type="submit"> <span clas
s="elementor-button-content-wrapper"> <span class="elementor-button-text">Su
bscribe</span> </span> </button>
```

#	Element	Relevant	Successes	Failures	Score
3	A navigation landmark should identify a section that contains primary links for moving through the site or page. Using navigation landmarks for minor or secondary link groups makes it harder for screen reader users to locate the page's key navigation areas.	Yes	1	3	25

Code snapshots of successful elements

```
1  <nav aria-label="Menu" class="elementor-nav-menu--main elementor-nav-menu__c
   ontainer elementor-nav-menu--layout-horizontal e--pointer-underline e--anima
   tion-fade"> <ul id="menu-1-61858fb" class="elementor-nav-menu" data-smartmen
   us-id="179130904363433...
```

Code snapshots of failed elements

```
1  <nav aria-label="Menu" class="elementor-nav-menu--main elementor-nav-menu__c
   ontainer elementor-nav-menu--layout-vertical e--pointer-none"> <ul id="menu-
   1-b2f5153" class="elementor-nav-menu sm-vertical" data-smartmenus-id="179130
   90437262798"><li class...
```

```
2  <nav aria-label="Menu" class="elementor-nav-menu--main elementor-nav-menu__c
   ontainer elementor-nav-menu--layout-vertical e--pointer-none"> <ul id="menu-
   1-5de4862" class="elementor-nav-menu sm-vertical" data-smartmenus-id="179130
   90437298"><li class="m...
```

```
3  <nav aria-label="Menu" class="elementor-nav-menu--main elementor-nav-menu__c
   ontainer elementor-nav-menu--layout-vertical e--pointer-none"> <ul id="menu-
   1-e71396b" class="elementor-nav-menu sm-vertical" data-smartmenus-id="179130
   90437338691"><li class...
```

#	Element	Relevant	Successes	Failures	Score
4	Smaller graphics used as decorative or complementary elements, such as icons, and that do not provide additional information will often add unnecessary clutter to a screen reader user's browsing experience.	Yes	7	3	70

Code snapshots of successful elements

1
```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-angle-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg"><path d="M143 352.3L7 216.3c-9.4-9.4-9.4-24.6 0-33.9l22.6-22.6c9.4-9.4 24.6-9.4 33.9 0l96.4 96.4 96.4-96.4c9.4-9.4 24.6-9.4 33.9...
```

2
```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-angle-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg"><path d="M143 352.3L7 216.3c-9.4-9.4-9.4-24.6 0-33.9l22.6-22.6c9.4-9.4 24.6-9.4 33.9 0l96.4 96.4 96.4-96.4c9.4-9.4 24.6-9.4 33.9...
```

3
```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-angle-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg"><path d="M143 352.3L7 216.3c-9.4-9.4-9.4-24.6 0-33.9l22.6-22.6c9.4-9.4 24.6-9.4 33.9 0l96.4 96.4 96.4-96.4c9.4-9.4 24.6-9.4 33.9...
```

4
```
<svg aria-hidden="true" class="e-font-icon-svg e-fab-facebook" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg"><path d="M504 256C504 119 393 8 256 8S8 119 8 256c0 123.78 90.69 226.38 209.25 245V327.69h-63V256h63v-54.64c0-62.15 37-96.48 93.67...
```

5
```
<svg aria-hidden="true" class="e-font-icon-svg e-fab-twitter" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg"><path d="M459.37 151.716c.325 4.548.325 9.097.325 13.645 0 138.72-105.583 298.558-298.558 298.558-59.452 0-114.68-17.219-161.137-47...
```

6
```
<svg aria-hidden="true" class="e-font-icon-svg e-fab-linkedin" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg"><path d="M416 32H31.9C14.3 32 0 46.5 0 64.3v383.4C0 465.5 14.3 480 31.9 480H416c17.6 0 32-14.5 32-32.3V64.3c0-17.8-14.4-32.3-32-32...
```

```
7 <svg aria-hidden="true" class="e-font-icon-svg e-fab-youtube" viewBox="0 0 576 512" xmlns="http://www.w3.org/2000/svg"><path d="M549.655 124.083c-6.281-23.65-24.787-42.276-48.284-48.597C458.781 64 288 64 288 64S117.22 64 74.629 75.486c-23.497 6.322-4...
```

Code snapshots of failed elements

```
1 <svg xmlns="http://www.w3.org/2000/svg" id="Layer_1" data-name="Layer 1" viewBox="0 0 200 200"><defs><style> .cls-1 { fill: #fff; stroke-width: 0px; } </style></defs><path class="cls-1" d="M198.9,69.9h-27.6c-3.2,0-7.9.3-12.2,7.2-4.3,6.9-14.6,22.2-17....
```

```
2 <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 28 32"><path d="M28 32s-4.714-1.855-8.527-3.34H3.437C1.54 28.66 0 27.026 0 25.013V3.644C0 1.633 1.54 0 3.437 0h21.125c1.898 0 3.437 1.632 3.437 3.645v18.404H28V32zm-4.139-11.982a.88.88 0 00-1.292-....
```

```
3 <svg class="e-font-icon-svg e-eicon-close eicon-close"><use xlink:href="#eicon-close"></use></svg>
```

#	Element	Relevant	Successes	Failures	Score
5	Screen reader users may find it difficult to distinguish between links when the purpose of each link cannot be determined from its text alone or together with its immediate context.	Yes	42	10	81

Code snapshots of successful elements

```
1 <a href="https://precisefp.com"> <img width="240" height="96" src="https://precisefp.com/wp-content/uploads/2024/03/logo-header.svg" class="attachment-large size-large wp-image-11042" alt="PreciseFP home"> </a>
```

```
2 <a href="/features" class="nav-link elementor-item has-submenu" id="sm-17913090436343325-1" aria-haspopup="true" aria-controls="sm-17913090436343325-2" aria-expanded="false">Product<span class="sub-arrow"><svg aria-hidden="true" class="e-font-icon-sv...
```

```
3 <a href="/solutions" class="nav-link elementor-item">Solutions</a>
```

```
4 <a href="https://precisefp.com/pricing/" class="nav-link elementor-item">Pricing</a>
```

```
5 <a href="/resource-center" class="nav-link elementor-item has-submenu" id="sm-17913090436343325-3" aria-haspopup="true" aria-controls="sm-17913090436343325-4" aria-expanded="false">Resources<span class="sub-arrow"><svg aria-hidden="true" class="e-fon...
```

```
6 <a href="/our-story" class="nav-link elementor-item has-submenu" id="sm-17913090436343325-5" aria-haspopup="true" aria-controls="sm-17913090436343325-6" aria-expanded="false">Company<span class="sub-arrow"><svg aria-hidden="true" class="e-font-icon-s...
```

```
7 <a class="elementor-button elementor-button-link elementor-size-sm" href="https://app.precisefp.com/signin"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Log In</span> </span> </a>
```

```
8 <a class="elementor-button elementor-button-link elementor-size-sm" href="https://app.precisefp.com/signup"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Sign Up</span> </span> </a>
```

```
9  <a class="elementor-button elementor-button-link elementor-size-sm" href="ht
   tps://app.precisefp.com/signup"> <span class="elementor-button-content-wrapp
   er"> <span class="elementor-button-text">Start Your Free Trial</span> </span
   > </a>
```

```
10  <a class="elementor-button elementor-button-link elementor-size-sm" href="h
    ttps://app.precisefp.com/signup"> <span class="elementor-button-content-wra
    pper"> <span class="elementor-button-text">Start Your Free Trial</span> </s
    pan> </a>
```

Code snapshots of failed elements

```
1  <a class="elementor-button elementor-button-link elementor-size-sm" href="/f
   eatures"> <span class="elementor-button-content-wrapper"> <span class="eleme
   ntor-button-text">See All Features</span> </span> </a>
```

```
2  <a class="elementor-button elementor-button-link elementor-size-sm" href="ht
   tps://precisefp.com/blog/ai-compliance-for-advisors/"> <span class="elemento
   r-button-content-wrapper"> <span class="elementor-button-text">Read Article
   </span> </span> </a>
```

```
3  <a class="elementor-button elementor-button-link elementor-size-sm" href="ht
   tps://precisefp.com/blog/how-integrated-tech-keeps-advisors-ahead-of-complia
   nce/"> <span class="elementor-button-content-wrapper"> <span class="elemento
   r-button-text">Read Ar...
```

```
4  <a class="elementor-button elementor-button-link elementor-size-sm" href="ht
   tps://precisefp.com/blog/when-compliance-is-part-of-the-workflow-not-an-afte
   rthought/"> <span class="elementor-button-content-wrapper"> <span class="ele
   mentor-button-text">Re...
```

```
5  <a class="elementor-button elementor-button-link elementor-size-sm" href="ht
   tps://precisefp.com/blog/staying-compliant-with-ai-in-wealth-management-what
   -advisors-need-to-know/"> <span class="elementor-button-content-wrapper"> <s
   pan class="elementor-b...
```

```
6  <a class="elementor-button elementor-button-link elementor-size-sm" href="ht
   tps://precisefp.com/blog/how-to-strengthen-your-compliance-readiness-before-
   the-next-exam/"> <span class="elementor-button-content-wrapper"> <span class
   ="elementor-button-tex...
```

```
7  <a class="elementor-button elementor-button-link elementor-size-sm" href="ht
   tps://precisefp.com/blog/the-hidden-friction-of-an-advisor-transition-and-ho
   w-to-eliminate-it/"> <span class="elementor-button-content-wrapper"> <span c
   lass="elementor-button...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://precisefp.com/blog/ai-compliance-for-advisors/"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Read Article </span> </span> </a>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://precisefp.com/blog/how-integrated-tech-keeps-advisors-ahead-of-compliance/"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Read Ar...
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://events.zoom.us/ev/Ak1v2NCQXbYRNC9oilBYzdtErtARD5V762262n5hDdfsCroBBChI~AjN-hsTNRAYoWepIEXwGJJc3tiJts2Q0r_E6nq1DGYDH42ohcN7LtqJUmQ?lmt=1773170107000"> <span class="eleme...
```

#	Element	Relevant	Successes	Failures	Score
6	Activating navigation links enables users to navigate to a different page within the site. Links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.	Yes	52	9	85

Code snapshots of successful elements

```
1 <a href="https://precisefp.com"> <img width="240" height="96" src="https://precisefp.com/wp-content/uploads/2024/03/logo-header.svg" class="attachment-large size-large wp-image-11042" alt="PreciseFP home"> </a>
```

```
2 <a href="/features" class="nav-link elementor-item has-submenu" id="sm-17913090436343325-1" aria-haspopup="true" aria-controls="sm-17913090436343325-2" aria-expanded="false">Product<span class="sub-arrow"><svg aria-hidden="true" class="e-font-icon-sv...
```

```
3 <a href="/solutions" class="nav-link elementor-item">Solutions</a>
```

```
4 <a href="https://precisefp.com/pricing/" class="nav-link elementor-item">Pricing</a>
```

```
5 <a href="/resource-center" class="nav-link elementor-item has-submenu" id="sm-17913090436343325-3" aria-haspopup="true" aria-controls="sm-17913090436343325-4" aria-expanded="false">Resources<span class="sub-arrow"><svg aria-hidden="true" class="e-fon...
```

```
6 <a href="/our-story" class="nav-link elementor-item has-submenu" id="sm-17913090436343325-5" aria-haspopup="true" aria-controls="sm-17913090436343325-6" aria-expanded="false">Company<span class="sub-arrow"><svg aria-hidden="true" class="e-font-icon-s...
```

```
7 <a class="elementor-button elementor-button-link elementor-size-sm" href="https://app.precisefp.com/signin"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Log In</span> </span> </a>
```

```
8 <a class="elementor-button elementor-button-link elementor-size-sm" href="https://app.precisefp.com/signup"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Sign Up</span> </span> </a>
```

```
9  <a class="elementor-button elementor-button-link elementor-size-sm" href="ht
   tps://app.precisefp.com/signup"> <span class="elementor-button-content-wrapp
   er"> <span class="elementor-button-text">Start Your Free Trial</span> </span
   > </a>
```

```
10  <a class="elementor-button elementor-button-link elementor-size-sm" href="h
    ttps://app.precisefp.com/signup"> <span class="elementor-button-content-wra
    pper"> <span class="elementor-button-text">Start Your Free Trial</span> </s
    pan> </a>
```

Code snapshots of failed elements

```
1  <a href="https://precisefp.com/blog/ai-compliance-for-advisors/"> <img loadi
   ng="lazy" decoding="async" width="640" height="427" src="https://precisefp.c
   om/wp-content/uploads/2026/01/AdobeStock_1118925008-1024x683.jpeg" class="at
   tachment-large size-la...
```

```
2  <a href="https://precisefp.com/blog/how-integrated-tech-keeps-advisors-ahead
   -of-compliance/"> <img loading="lazy" decoding="async" width="640" height="4
   27" src="https://precisefp.com/wp-content/uploads/2026/01/AdobeStock_2772852
   75-1024x683.jpeg" clas...
```

```
3  <a href="https://precisefp.com/blog/when-compliance-is-part-of-the-workflow-
   not-an-afterthought/"> <img loading="lazy" decoding="async" width="640" heig
   ht="338" src="https://precisefp.com/wp-content/uploads/2026/01/AdobeStock_17
   96605441-1024x540.jpeg...
```

```
4  <a href="https://precisefp.com/blog/staying-compliant-with-ai-in-wealth-mana
   gement-what-advisors-need-to-know/"> <img loading="lazy" decoding="async" wi
   dth="640" height="427" src="https://precisefp.com/wp-content/uploads/2025/1
   1/AdobeStock_1460318685...
```

```
5  <a href="https://precisefp.com/blog/how-to-strengthen-your-compliance-readin
   ess-before-the-next-exam/"> <img loading="lazy" decoding="async" width="640"
   height="427" src="https://precisefp.com/wp-content/uploads/2025/07/AdobeStoc
   k_521876474_Editorial...
```

```
6  <a href="https://precisefp.com/blog/the-hidden-friction-of-an-advisor-transi
   tion-and-how-to-eliminate-it/"> <img loading="lazy" decoding="async" width
   ="640" height="427" src="https://precisefp.com/wp-content/uploads/2026/06/Ad
   obeStock_609387975-1024x...
```

```
7  <a href="https://precisefp.com/blog/ai-compliance-for-advisors/"> <img loadi
   ng="lazy" decoding="async" width="640" height="427" src="https://precisefp.c
   om/wp-content/uploads/2026/01/AdobeStock_1118925008-1024x683.jpeg" class="at
   tachment-large size-la...
```

```
8 <a href="https://precisefp.com/blog/how-integrated-tech-keeps-advisors-ahead-of-compliance/"> <img loading="lazy" decoding="async" width="640" height="427" src="https://precisefp.com/wp-content/uploads/2026/01/AdobeStock_277285275-1024x683.jpeg" clas...
```

```
9 <a class="elementor-icon elementor-social-icon elementor-social-icon- elementor-repeater-item-156d05b" href="https://www.skool.com/precisefp-community/about" target="_blank"> <span class="elementor-screen-only"></span> <svg xmlns="http://www.w3.org/2...
```

#	Element	Relevant	Successes	Failures	Score
7	An empty list will still be announced by screen readers, which may confuse users, leaving them unsure if the list is empty or an issue prevents the screen reader from announcing the list items.	Yes	21	1	95

Code snapshots of successful elements

```
1 <ul id="menu-1-61858fb" class="elementor-nav-menu" data-smartmenus-id="17913
  090436343325"><li class="menu-item menu-item-type-custom menu-item-object-cu
  stom menu-item-has-children menu-item-11046 nav-item"><a href="/features" cl
  ass="nav-link elemento...
```

```
2 <ul class="elementor-inline-items elementor-icon-list-items elementor-post-i
  nfo"> <li class="elementor-icon-list-item elementor-repeater-item-acf9e10 el
  ementor-inline-item" itemprop="about"> <span class="elementor-icon-list-text
  elementor-post-info__...
```

```
3 <ul class="elementor-inline-items elementor-icon-list-items elementor-post-i
  nfo"> <li class="elementor-icon-list-item elementor-repeater-item-0100ccc el
  ementor-inline-item" itemprop="author"> <span class="elementor-icon-list-tex
  t elementor-post-info_...
```

```
4 <ul class="elementor-inline-items elementor-icon-list-items elementor-post-i
  nfo"> <li class="elementor-icon-list-item elementor-repeater-item-acf9e10 el
  ementor-inline-item" itemprop="about"> <span class="elementor-icon-list-text
  elementor-post-info__...
```

```
5 <ul class="elementor-inline-items elementor-icon-list-items elementor-post-i
  nfo"> <li class="elementor-icon-list-item elementor-repeater-item-0100ccc el
  ementor-inline-item" itemprop="author"> <span class="elementor-icon-list-tex
  t elementor-post-info_...
```

```
6 <ul class="elementor-inline-items elementor-icon-list-items elementor-post-i
  nfo"> <li class="elementor-icon-list-item elementor-repeater-item-acf9e10 el
  ementor-inline-item" itemprop="about"> <span class="elementor-icon-list-text
  elementor-post-info__...
```

```
7 <ul class="elementor-inline-items elementor-icon-list-items elementor-post-i
  nfo"> <li class="elementor-icon-list-item elementor-repeater-item-0100ccc el
  ementor-inline-item" itemprop="author"> <span class="elementor-icon-list-tex
  t elementor-post-info_...
```

```
8 <ul class="elementor-inline-items elementor-icon-list-items elementor-post-i
nfo"> <li class="elementor-icon-list-item elementor-repeater-item-acf9e10 el
ementor-inline-item" itemprop="about"> <span class="elementor-icon-list-text
elementor-post-info__...
```

```
9 <ul class="elementor-inline-items elementor-icon-list-items elementor-post-i
nfo"> <li class="elementor-icon-list-item elementor-repeater-item-0100ccc el
ementor-inline-item" itemprop="author"> <span class="elementor-icon-list-tex
t elementor-post-info_...
```

```
10 <ul class="elementor-inline-items elementor-icon-list-items elementor-post-
info"> <li class="elementor-icon-list-item elementor-repeater-item-acf9e10
elementor-inline-item" itemprop="about"> <span class="elementor-icon-list-t
ext elementor-post-info__...
```

Code snapshots of failed elements

```
1 <div class="swiper elementor-loop-container elementor-grid swiper-initialize
d swiper-horizontal swiper-pointer-events" role="list" dir="ltr"> <div class
="swiper-wrapper" aria-live="off" id="swiper-wrapper-c641012610d9e311041" st
yle="transition-durati...
```

#	Element	Relevant	Successes	Failures	Score
8	If content remains visible on the screen but assigned aria-hidden="true", it will be excluded from the accessibility tree. As a result, screen reader users will not have access to the same information as sighted users.	Yes	485	5	99

Code snapshots of successful elements

1
```
<div class="cky-consent-container cky-classic-bottom" aria-label="Manage Con
sent" role="region" tabindex="-1"><div class="cky-consent-bar" data-cky-tag
="notice" style="border-color: #3d3e3f; background-color: #3d3e3f;"><div cla
ss="cky-notice"><p clas...
```

2
```
<div class="cky-consent-bar" data-cky-tag="notice" style="border-color: #3d3
e3f; background-color: #3d3e3f;"><div class="cky-notice"><p class="cky-titl
e" aria-level="2" data-cky-tag="title" role="heading" style="color: #f6f5f
5;">Manage Consent</p><di...
```

3
```
<div class="cky-notice"><p class="cky-title" aria-level="2" data-cky-tag="ti
tle" role="heading" style="color: #f6f5f5;">Manage Consent</p><div class="ck
y-notice-group"><div class="cky-notice-des" data-cky-tag="description" style
="color: #f6f5f5;"><di...
```

4
```
<p class="cky-title" aria-level="2" data-cky-tag="title" role="heading" styl
e="color: #f6f5f5;">Manage Consent</p>
```

5
```
<div class="cky-notice-group"><div class="cky-notice-des" data-cky-tag="desc
ription" style="color: #f6f5f5;"><div> <div>We use cookies and other similar
technologies, including cookies provided by analytics, advertising, and othe
r third-party provide...
```

6
```
<div class="cky-notice-des" data-cky-tag="description" style="color: #f6f5f
5;"><div> <div>We use cookies and other similar technologies, including cook
ies provided by analytics, advertising, and other third-party providers. The
se cookies may record w...
```

7
```
<div> <div>We use cookies and other similar technologies, including cookies
provided by analytics, advertising, and other third-party providers. These c
ookies may record what pages you visit and other similar activity on our web
site, including what v...
```

```
8  <div>We use cookies and other similar technologies, including cookies provid
   ed by analytics, advertising, and other third-party providers. These cookies
   may record what pages you visit and other similar activity on our website, i
   ncluding what videos ...
```

```
9  <div class="cky-notice-btn-wrapper" data-cky-tag="notice-buttons"><button cl
   ass="cky-btn cky-btn-customize" aria-label="Customize" aria-haspopup="dialo
   g" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-button" style
   ="color: #7ba835; border...
```

```
10 <button class="cky-btn cky-btn-customize" aria-label="Customize" aria-haspo
   pup="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-but
   ton" style="color: #7ba835; border-color: #7ba835; background-color: transp
   arent;" aria-expanded="fa...
```

Code snapshots of failed elements

```
1  <svg aria-hidden="true" class="e-font-icon-svg e-far-keyboard" viewBox="0 0
   576 512" xmlns="http://www.w3.org/2000/svg"><path d="M528 64H48C21.49 64 0 8
   5.49 0 112v288c0 26.51 21.49 48 48 48h480c26.51 0 48-21.49 48-48V112c0-26.51
   -21.49-48-48-48zm8 336...
```

```
2  <svg aria-hidden="true" class="e-font-icon-svg e-fas-cubes" viewBox="0 0 512
   512" xmlns="http://www.w3.org/2000/svg"><path d="M488.6 250.2L392 214V105.5c
   0-15-9.3-28.4-23.4-33.7l-100-37.5c-8.1-3.1-17.1-3.1-25.3 0l-100 37.5c-14.1
   5.3-23.4 18.7-23.4 33....
```

```
3  <svg aria-hidden="true" class="e-font-icon-svg e-far-paper-plane" viewBox="0
   0 512 512" xmlns="http://www.w3.org/2000/svg"><path d="M440 6.5L24 246.4c-3
   4.4 19.9-31.1 70.8 5.7 85.9L144 379.6V464c0 46.4 59.2 65.5 86.6 28.6l43.8-5
   9.1 111.9 46.2c5.9 2.4 ...
```

```
4  <iframe height="1" width="1" style="position: absolute; top: 0px; left: 0px;
   border-width: medium; border-style: none; border-color: currentcolor; border
   -image: none; visibility: hidden;"></iframe>
```

```
5  <iframe id="intercom-frame" style="position: absolute !important; opacity: 0
   !important; width: 1px !important; height: 1px !important; top: 0 !importan
   t; left: 0 !important; border: none !important; display: block !important; z
   -index: -1 !important;...
```

#	Element	Relevant	Successes	Failures	Score
9	When elements are visually hidden but still exposed to assistive technology, screen reader users may encounter content that should not be available in the current interface. This can obscure the current state of the page and lead to confusion about what information or controls are available.	Yes	903	10	99

Code snapshots of successful elements

```
1 <div class="cky-btn-revisit-wrapper cky-revisit-hide cky-revisit-bottom-left" data-cky-tag="revisit-consent" data-tooltip="Consent Preferences" style="background-color: #0056a7;"><button aria-label="Consent Preferences" class="cky-btn-revisit" aria-c...
```

```
2 <button aria-label="Consent Preferences" class="cky-btn-revisit" aria-controls="ckyPreferenceCenter" aria-haspopup="dialog"><img alt="Revisit consent button" src="https://cdn-cookieyes.com/assets/images/revisit.svg"></button>
```

```
3 <img alt="Revisit consent button" src="https://cdn-cookieyes.com/assets/images/revisit.svg">
```

```
4 <div class="cky-preference-wrapper" data-cky-tag="detail" style="color: #f6f5f5; border-color: #3d3e3f; background-color: #3d3e3f;"><div class="cky-preference-center"><div class="cky-preference"><div class="cky-preference-header"><span class="cky-pre...
```

```
5 <div class="cky-preference-center"><div class="cky-preference"><div class="cky-preference-header"><span class="cky-preference-title" aria-level="2" data-cky-tag="detail-title" role="heading" style="color: #f6f5f5;">Customize Consent Preferences</span...
```

```
6 <div class="cky-preference"><div class="cky-preference-header"><span class="cky-preference-title" aria-level="2" data-cky-tag="detail-title" role="heading" style="color: #f6f5f5;">Customize Consent Preferences</span> <button aria-label="Close" class=...
```

```
7 <div class="cky-preference-header"><span class="cky-preference-title" aria-level="2" data-cky-tag="detail-title" role="heading" style="color: #f6f5f5;">Customize Consent Preferences</span> <button aria-label="Close" class="cky-btn-close" data-cky-tag...
```

```
<span class="cky-preference-title" aria-level="2" data-cky-tag="detail-title" role="heading" style="color: #f6f5f5;">Customize Consent Preferences</span>
```

```
<button aria-label="Close" class="cky-btn-close" data-cky-tag="detail-close"><img alt="" src="https://cdn-cookieyes.com/assets/images/close.svg"></button>
```

```
 <img alt="" src="https://cdn-cookieyes.com/assets/images/close.svg">
```

Code snapshots of failed elements

```
<div class="elementor-element elementor-element-f3189fe elementor-widget elementor-widget-shortcode" data-id="f3189fe" data-element_type="widget" data-e-type="widget" data-widget_type="shortcode.default"> <div class="elementor-widget-container"> <div...
```

```
<div class="elementor-element elementor-element-f3189fe elementor-widget elementor-widget-shortcode" data-id="f3189fe" data-element_type="widget" data-e-type="widget" data-widget_type="shortcode.default"> <div class="elementor-widget-container"> <div...
```

```
<div class="elementor-element elementor-element-f3189fe elementor-widget elementor-widget-shortcode" data-id="f3189fe" data-element_type="widget" data-e-type="widget" data-widget_type="shortcode.default"> <div class="elementor-widget-container"> <div...
```

```
<div data-elementor-type="loop-item" data-elementor-id="11354" class="elementor elementor-11354 swiper-slide e-loop-item e-loop-item-12939 post-12939 post type-post status-publish format-standard has-post-thumbnail hentry category-blog tag-ai tag-aut...
```

```
<div data-elementor-type="loop-item" data-elementor-id="11354" class="elementor elementor-11354 swiper-slide e-loop-item e-loop-item-12357 post-12357 post type-post status-publish format-standard has-post-thumbnail hentry category-blog tag-client-onb...
```

```
<div data-elementor-type="loop-item" data-elementor-id="11354" class="elementor elementor-11354 swiper-slide e-loop-item e-loop-item-13901 post-13901 post type-post status-publish format-standard has-post-thumbnail hentry category-blog tag-advisory-b...
```

```
<div data-elementor-type="loop-item" data-elementor-id="11354" class="elementor elementor-11354 swiper-slide e-loop-item e-loop-item-13013 post-13013 post type-post status-publish format-standard has-post-thumbnail hentry category-blog tag-data-gathe...
```

```
8  <div data-elementor-type="loop-item" data-elementor-id="11354" class="elementor elementor-11354 swiper-slide e-loop-item e-loop-item-12984 post-12984 post type-post status-publish format-standard has-post-thumbnail hentry category-blog tag-data-gathe...
```

```
9  <div class="intercom-lightweight-app-launcher-icon intercom-lightweight-app-launcher-icon-minimize"><svg width="24" height="24" viewBox="0 0 24 24" fill="none" xmlns="http://www.w3.org/2000/svg"> <path fill-rule="evenodd" clip-rule="evenodd" d="M18.6...
```

```
10 <body></body>
```

#	Element	Relevant	Successes	Failures	Score
10	Main navigation elements should have role navigation to ensure that screen readers can identify them as navigation regions.	Yes	Pass	-	100

Code snapshots of successful elements

```
1  <nav aria-label="Menu" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-underline e--animation-fade"> <ul id="menu-1-61858fb" class="elementor-nav-menu" data-smartmenus-id="179130904363433...
```

#	Element	Relevant	Successes	Failures	Score
11	The main landmark represents the primary content of a page. It should include only content unique to that page and must remain separate from repeated elements, such as navigation, header, or footer.	Yes	Pass	-	100

Code snapshots of successful elements

```
1  <main class="elementor-element elementor-element-57b62be e-con-full e-flex e
   -con e-parent e-lazyloaded" data-id="57b62be" data-element_type="container"
   data-e-type="container" id="content"> <div class="elementor-element elemento
   r-element-96a0b63 e-fl...
```

#	Element	Relevant	Successes	Failures	Score
12	Incorrectly tagging the main landmark may cause screen reader users to misunderstand where the primary content begins or ends, leading to confusion and inefficient navigation.	Yes	Pass	-	100

Code snapshots of successful elements

```
1  <main class="elementor-element elementor-element-57b62be e-con-full e-flex e
   -con e-parent e-lazyloaded" data-id="57b62be" data-element_type="container"
   data-e-type="container" id="content"> <div class="elementor-element elemento
   r-element-96a0b63 e-fl...
```

#	Element	Relevant	Successes	Failures	Score
13	Images require a text alternative when the image conveys meaningful content or serves a functional purpose. If the image is decorative, it must be hidden from assistive technology.	Yes	2	0	100

Code snapshots of successful elements

```
1 <img width="240" height="96" src="https://precisefp.com/wp-content/uploads/2024/03/logo-header.svg" class="attachment-large size-large wp-image-11042" alt="PreciseFP home">
```

```
2 <img src="https://precisefp.com/wp-content/uploads/2024/03/logo-footer.svg" title="logo-footer" alt="logo-footer" loading="lazy">
```

#	Element	Relevant	Successes	Failures	Score
14	When non-graphical elements are marked up as images, screen reader users may misunderstand the intended purpose of the content.	Yes	2	0	100

Code snapshots of successful elements

```
1 <img width="240" height="96" src="https://precisefp.com/wp-content/uploads/2024/03/logo-header.svg" class="attachment-large size-large wp-image-11042" alt="PreciseFP home">
```

```
2 <img src="https://precisefp.com/wp-content/uploads/2024/03/logo-footer.svg" title="logo-footer" alt="logo-footer" loading="lazy">
```

#	Element	Relevant	Successes	Failures	Score
15	Buttons that do not contain visible text should be assigned labels that inform screen reader users of their purpose.	Yes	12	0	100

Code snapshots of successful elements

```
1  <button class="cky-btn cky-btn-customize" aria-label="Customize" aria-haspop
   up="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-butto
   n" style="color: #7ba835; border-color: #7ba835; background-color: transpare
   nt;" aria-expanded="fa...
```

```
2  <button class="cky-btn cky-btn-reject" aria-label="Reject All" data-cky-tag
   ="reject-button" style="color: #7ba835; border-color: #7ba835; background-co
   lor: transparent;">Reject All</button>
```

```
3  <button class="cky-btn cky-btn-accept" aria-label="Accept All" data-cky-tag
   ="accept-button" style="color: #ffffff; border-color: #7ba835; background-co
   lor: #7ba835;">Accept All</button>
```

```
4  <span class="swiper-pagination-bullet" role="button" data-bullet-index="0" a
   ria-label="Go to slide 1"></span>
```

```
5  <span class="swiper-pagination-bullet" role="button" data-bullet-index="1" a
   ria-label="Go to slide 2"></span>
```

```
6  <span class="swiper-pagination-bullet swiper-pagination-bullet-active" role
   ="button" data-bullet-index="2" aria-label="Go to slide 3" tabindex="0" aria
   -current="true"></span>
```

```
7  <span class="swiper-pagination-bullet" role="button" data-bullet-index="3" a
   ria-label="Go to slide 4"></span>
```

```
8  <span class="swiper-pagination-bullet" role="button" data-bullet-index="4" a
   ria-label="Go to slide 5"></span>
```

```
9  <span class="swiper-pagination-bullet" role="button" data-bullet-index="5" a
   ria-label="Go to slide 6"></span>
```

```
10 <button class="elementor-button elementor-size-sm" type="submit"> <span cla
ss="elementor-button-content-wrapper"> <span class="elementor-button-text">
Subscribe</span> </span> </button>
```

#	Element	Relevant	Successes	Failures	Score
16	If interactive elements cannot be identified as buttons, screen reader users may not realize the element is actionable, which can stop them from submitting forms, opening dialogs, or performing other intended actions.	Yes	12	0	100

Code snapshots of successful elements

```
1 <button class="cky-btn cky-btn-customize" aria-label="Customize" aria-haspop
  up="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-butto
  n" style="color: #7ba835; border-color: #7ba835; background-color: transpare
  nt;" aria-expanded="fa...
```

```
2 <button class="cky-btn cky-btn-reject" aria-label="Reject All" data-cky-tag
  ="reject-button" style="color: #7ba835; border-color: #7ba835; background-co
  lor: transparent;">Reject All</button>
```

```
3 <button class="cky-btn cky-btn-accept" aria-label="Accept All" data-cky-tag
  ="accept-button" style="color: #ffffff; border-color: #7ba835; background-co
  lor: #7ba835;">Accept All</button>
```

```
4 <span class="swiper-pagination-bullet" role="button" data-bullet-index="0" a
  ria-label="Go to slide 1"></span>
```

```
5 <span class="swiper-pagination-bullet" role="button" data-bullet-index="1" a
  ria-label="Go to slide 2"></span>
```

```
6 <span class="swiper-pagination-bullet swiper-pagination-bullet-active" role
  ="button" data-bullet-index="2" aria-label="Go to slide 3" tabindex="0" aria
  -current="true"></span>
```

```
7 <span class="swiper-pagination-bullet" role="button" data-bullet-index="3" a
  ria-label="Go to slide 4"></span>
```

```
8 <span class="swiper-pagination-bullet" role="button" data-bullet-index="4" a
  ria-label="Go to slide 5"></span>
```

```
9 <span class="swiper-pagination-bullet" role="button" data-bullet-index="5" a
  ria-label="Go to slide 6"></span>
```

```
10 <button class="elementor-button elementor-size-sm" type="submit"> <span cla
ss="elementor-button-content-wrapper"> <span class="elementor-button-text">
Subscribe</span> </span> </button>
```

#	Element	Relevant	Successes	Failures	Score
17	Interactive elements that trigger additional content should only have relationship and state ARIA attributes, such as aria-expanded and aria-controls, if they have interactive roles, such as button, tab, combobox and in rarer cases, link.	Yes	3	0	100

Code snapshots of successful elements

```
1 <a href="/features" class="nav-link elementor-item has-submenu" id="sm-17913
090436343325-1" aria-haspopup="true" aria-controls="sm-17913090436343325-2"
aria-expanded="false">Product<span class="sub-arrow"><svg aria-hidden="true"
class="e-font-icon-sv...
```

```
2 <a href="/resource-center" class="nav-link elementor-item has-submenu" id="s
m-17913090436343325-3" aria-haspopup="true" aria-controls="sm-17913090436343
325-4" aria-expanded="false">Resources<span class="sub-arrow"><svg aria-hidd
en="true" class="e-fon...
```

```
3 <a href="/our-story" class="nav-link elementor-item has-submenu" id="sm-1791
3090436343325-5" aria-haspopup="true" aria-controls="sm-17913090436343325-6"
aria-expanded="false">Company<span class="sub-arrow"><svg aria-hidden="true"
class="e-font-icon-s...
```

#	Element	Relevant	Successes	Failures	Score
18	Aria labels should describe elements that don't have proper text, like icons and field labels. It should not be used to override element texts. Screen reader users need to receive the exact text as visually on the screen, with more context if it is ambiguous. An exception applies to landmarks such as nav or other landmarks: here, ARIA labels can provide additional context or clarification.	Yes	3	0	100

Code snapshots of successful elements

1
```
<button class="cky-btn cky-btn-customize" aria-label="Customize" aria-haspop
up="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-butto
n" style="color: #7ba835; border-color: #7ba835; background-color: transpare
nt;" aria-expanded="fa...
```

2
```
<button class="cky-btn cky-btn-reject" aria-label="Reject All" data-cky-tag
="reject-button" style="color: #7ba835; border-color: #7ba835; background-co
lor: transparent;">Reject All</button>
```

3
```
<button class="cky-btn cky-btn-accept" aria-label="Accept All" data-cky-tag
="accept-button" style="color: #ffffff; border-color: #7ba835; background-co
lor: #7ba835;">Accept All</button>
```

#	Element	Relevant	Successes	Failures	Score
19	The alt attribute is used to provide a text alternative for images. It is not meant to be used on elements other than images and therefore will not be read using screen-readers.	Yes	22	0	100

Code snapshots of successful elements

```
1 <img alt="Revisit consent button" src="https://cdn-cookieyes.com/assets/images/revisit.svg">
```

```
2 <img alt="" src="https://cdn-cookieyes.com/assets/images/close.svg">
```

```
3 <img alt="Cookieyes logo" src="https://cdn-cookieyes.com/assets/images/poweredbtcky.svg" style="width:78px;height:13px;margin:0">
```

```
4 <img width="240" height="96" src="https://precisefp.com/wp-content/uploads/2024/03/logo-header.svg" class="attachment-large size-large wp-image-11042" alt="PreciseFP home">
```

```
5 <img fetchpriority="high" decoding="async" width="500" height="728" src="https://precisefp.com/wp-content/uploads/2026/01/ai-enabled.png" class="attachment-large size-large wp-image-13140" alt="" srcset="https://precisefp.com/wp-content/uploads/2026/...
```

```
6 <img decoding="async" width="1610" height="578" src="https://precisefp.com/wp-content/uploads/2026/01/home-page-image-1.png" class="attachment-full size-full wp-image-13052" alt="" srcset="https://precisefp.com/wp-content/uploads/2026/01/home-page-im...
```

```
7 <img loading="lazy" decoding="async" width="1616" height="614" src="https://precisefp.com/wp-content/uploads/2026/01/home-page-image-2.png" class="attachment-full size-full wp-image-13051" alt="" srcset="https://precisefp.com/wp-content/uploads/2026/...
```

```
8 <img loading="lazy" decoding="async" width="2560" height="1108" src="https://precisefp.com/wp-content/uploads/2026/01/home-page-image-3-scaled.png" class="attachment-full size-full wp-image-13050" alt="" srcset="https://precisefp.com/wp-content/uploa...
```

```
9  <img loading="lazy" decoding="async" width="640" height="338" src="https://precisefp.com/wp-content/uploads/2026/01/AdobeStock_1796605441-1024x540.jpeg" class="attachment-large size-large wp-image-12982" alt="" srcset="https://precisefp.com/wp-conten...
```

```
10  <img loading="lazy" decoding="async" width="640" height="427" src="https://precisefp.com/wp-content/uploads/2025/11/AdobeStock_1460318685-1024x683.jpeg" class="attachment-large size-large wp-image-12940" alt="" srcset="https://precisefp.com/wp-conten...
```

#	Element	Relevant	Successes	Failures	Score
20	Adding type="submit" to a control that submits a form ensures that screen readers users expect a change of context when they activate the control.	Yes	Pass	-	100

Code snapshots of successful elements

```
1  <button class="elementor-button elementor-size-sm" type="submit"> <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Subscribe</span> </span> </button>
```

#	Element	Relevant	Successes	Failures	Score
21	Specifying a default page language ensures screen readers apply the correct pronunciation rules, voices, and braille output. Without it, screen readers may guess the language incorrectly, causing mispronunciations, confusion, and reduced comprehension for users.	Yes	Pass	-	100

Code snapshots of successful elements

```
<html lang="en-US"><head> <meta charset="UTF-8"> <meta name="viewport" conte
nt="width=device-width, initial-scale=1.0, viewport-fit=cover"> <meta name
="robots" content="index, follow, max-image-preview:large, max-snippet:-1, m
ax-video-preview:-1"> <s...
```

#	Element	Relevant	Successes	Failures	Score
22	The meta viewport should allow scalability, typically with width=device-width, initial-scale=1, so text can be resized up to 200% without loss of functionality. Using user-scalable=no or maximum-scale=1 prevents users from enlarging content, making it difficult for people with low vision to read or interact.	Yes	Pass	-	100

Code snapshots of successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, viewpo
rt-fit=cover">
```

#	Element	Relevant	Successes	Failures	Score
23	A missing page title makes it difficult for screen reader users and sighted users with multiple tabs open to identify the page, reducing orientation and usability.	Yes	Pass	-	100

Code snapshots of successful elements

```
<title>PreciseFP | Financial Planning Software for Financial Advisors</title
>
```

#	Element	Relevant	Successes	Failures	Score
24	Screen readers rely heavily on page titles to announce the purpose of a page. If titles aren’t descriptive, users with low or no vision may not understand the context until they start navigating the page.	Yes	Pass	-	100

Code snapshots of successful elements

```
<title>PreciseFP | Financial Planning Software for Financial Advisors</title
>
```

#	Element	Relevant	Successes	Failures	Score
25	Applying role="tablist" to an element without tabs misleads screen reader users by suggesting a group of tabs that does not exist.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	Applying role="tab" to an element that is not part of a functioning tab interface misleads screen reader users by presenting it as a tab without a corresponding panel.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	The role="tabpanel" identifies an element as the content region of a tab interface. Without this role, panels are exposed only by their native role (such as a generic div or a named section) and screen reader users may not perceive them as part of the tab structure.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
28	Applying role="tabpanel" to an element without a corresponding tab misleads screen reader users by announcing it as tab content, even though no controlling tab exists.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
29	Using an <article> tag on content that is not self-contained and that cannot stand on its own outside the context of the page, such as a blog post, news story, or forum entry, causes screen readers to announce misleading information about the purpose the content in relation to the main subject of the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
30	A page typically presents one central subject, so a single main landmark establishes the boundaries of the primary content for screen reader users. Multiple main landmarks create uncertainty about the scope, leading to confusion and difficulty navigating the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	Screen reader users rely on landmarks to quickly access important regions of a page. Defining a form as a search landmark ensures that users can quickly recognize and navigate to the search form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
32	Functional images presented using CSS background or background-image properties should be marked up using role="img" so that they can be identified as images by screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
33	Text alternatives must provide accurate descriptions of the image. Incorrect text alternatives, such as filenames or other placeholder values, may cause screen reader users to either miss essential information or hear unnecessary content that disrupts navigation.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
34	A sticky footer remains anchored to the bottom of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
35	A sticky header remains anchored to the top of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
36	Ambiguous links like "Learn More", "Shop Now" and "Start Here" are often used as a call to action. However, screen-reader users, while using link navigation, do not interact with content above or below the link and therefore don't have the same context as to what they will learn more about.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
37	Activating anchor links enables users to navigate to a different section within the same page by scrolling and moving keyboard focus. Anchor links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
38	Visual cues are often used by sighted users to indicate which link represents the current page within a set of links. This information should be made available to screen reader users by assigning aria-current='page' to the link.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
39	An iframe needs a label that describes its purpose to screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
40	In most cases, using role=menu on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	In most cases, using role=menubar on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	In most cases, using ARIA menu roles within a web page can negatively impact screen reader users, especially those using JAWS. role="menuitem" should be used for menu items in menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	Make sure that no element has an autofocus attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	Using role="application" is generally discouraged because it disables standard screen reader modes and forces users into an application mode. This removes familiar navigation shortcuts, such as heading or landmark navigation, and requires them to interact in ways they may not expect.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A checkbox control without an identifiable label may prevent screen reader users from completing the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	Interacting with form controls shouldn't automatically submit a form or cause any other change in context without notifying the user in advance. Form controls that cause a context change on input can disorient a user, since the behavior is not expected.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	A slider should be operable with a single pointer	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A radio control without an identifiable label may prevent screen reader users from completing the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
49	If a field is marked as required only through visual cues, but lacks the required attribute or aria-required="true", screen readers will not announce it as mandatory. As a result, users may experience unnecessary delays or confusion when trying to submit the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
50	A <meta> element with http-equiv="refresh" is sometimes used to automatically redirect users after a time delay. These timed changes can interrupt and disorient users who rely on assistive technology	No	0	0	

#	Element	Relevant	Successes	Failures	Score
51	A breadcrumb region presents a trail of links showing the user’s current page in relation to higher-level pages on a site. Without a label, it may be announced by screen reades simply as "navigation", making it hard to distinguish from other navigation regions on the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
52	Breadcrumb navigation regions are essential for user orientation. If not appropriately tagged, screen reader users will not know that such an option exists on the page and will face more difficulties browsing around.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
53	Elements with emphasis importance should have the emphasis role. If not, screen reader users may not understand the emphasis of the text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
54	Discounted prices often appear next to the original and distinguished with visual cues like strikethroughs or color changes. Both prices must also be conveyed by screen readers in a way that enables users to differentiate between the values, ensuring they can understand when a discount is applied.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
55	Elements with strong importance should have the strong role. If not, screen reader users may not understand the importance of the text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
56	If a column header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
57	If a table header cell is empty, screen reader users may only hear a generic label such as “column 3” or nothing at all. This makes it harder to understand what each column or row represents.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
58	When a layout table is marked up with HTML elements like <table> or <tr>, or assigned table ARIA roles, screen readers announce a data table structure with rows, columns, and headers, even though the table is only used for page layout.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
59	Nested tables are often misinterpreted by screen readers, making it hard for users to follow the intended structure and meaning of the data.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
60	If a table row header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	No	0	0	

WCAG Best Practices (Not included in score)

#	Element	Relevant	Successes	Failures	Score
1	The element’s aria-controls points to an id that does not exist, or is not valid, breaking the link between the controlling element and the content it manages.	Yes	12	2	86

Code snapshots of successful elements

```
1  <button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDe
   tailCategorynecessaryBody" aria-label="Necessary" data-cky-tag="detail-categ
   ory-title" style="color: #f6f5f5;">Necessary</button>
```

```
2  <button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDe
   tailCategoryfunctionalBody" aria-label="Functional" data-cky-tag="detail-cat
   egory-title" style="color: #f6f5f5;">Functional</button>
```

```
3  <button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDe
   tailCategoryanalyticsBody" aria-label="Analytics" data-cky-tag="detail-categ
   ory-title" style="color: #f6f5f5;">Analytics</button>
```

```
4  <button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDe
   tailCategoryperformanceBody" aria-label="Performance" data-cky-tag="detail-c
   ategory-title" style="color: #f6f5f5;">Performance</button>
```

```
5  <button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDe
   tailCategoryadvertisementBody" aria-label="Advertisement" data-cky-tag="deta
   il-category-title" style="color: #f6f5f5;">Advertisement</button>
```

```
6  <button class="cky-accordion-btn" aria-expanded="false" aria-controls="ckyDe
   tailCategoryotherBody" aria-label="Uncategorized" data-cky-tag="detail-categ
   ory-title" style="color: #f6f5f5;">Uncategorized</button>
```

```
7  <a href="/features" class="nav-link elementor-item has-submenu" id="sm-17913
   090436343325-1" aria-haspopup="true" aria-controls="sm-17913090436343325-2"
   aria-expanded="false">Product<span class="sub-arrow"><svg aria-hidden="true"
   class="e-font-icon-sv...
```

```
8  <a href="/resource-center" class="nav-link elementor-item has-submenu" id="s
   m-17913090436343325-3" aria-haspopup="true" aria-controls="sm-17913090436343
   325-4" aria-expanded="false">Resources<span class="sub-arrow"><svg aria-hidd
   en="true" class="e-fon...
```

```
9  <a href="/our-story" class="nav-link elementor-item has-submenu" id="sm-1791
   3090436343325-5" aria-haspopup="true" aria-controls="sm-17913090436343325-6"
   aria-expanded="false">Company<span class="sub-arrow"><svg aria-hidden="true"
   class="e-font-icon-s...
```

```
10 <a href="/features" class="nav-link elementor-item has-submenu" tabindex="-
   1" id="sm-1791309043639924-1" aria-haspopup="true" aria-controls="sm-179130
   9043639924-2" aria-expanded="false">Product<span class="sub-arrow"><svg ari
   a-hidden="true" class="e-...
```

Code snapshots of failed elements

```
1  <button aria-label="Consent Preferences" class="cky-btn-revisit" aria-contro
   ls="ckyPreferenceCenter" aria-haspopup="dialog"><img alt="Revisit consent bu
   tton" src="https://cdn-cookieyes.com/assets/images/revisit.svg"></button>
```

```
2  <button class="cky-btn cky-btn-customize" aria-label="Customize" aria-haspop
   up="dialog" aria-controls="ckyPreferenceCenter" data-cky-tag="settings-butto
   n" style="color: #7ba835; border-color: #7ba835; background-color: transpare
   nt;" aria-expanded="fa...
```

#	Element	Relevant	Successes	Failures	Score
2	The contentinfo region, typically represented by the <footer> element, is found at the end of each page and provides screen reader users with information about the website, such as copyright, contact details, legal information, and navigation links.	Yes	Pass	-	100

Code snapshots of successful elements

```
1  <footer data-elementor-type="footer" data-elementor-id="10523" class="elemen
   tor elementor-10523 elementor-location-footer" data-elementor-post-type="ele
   mentor_library"> <div class="elementor-element elementor-element-d013445 e-f
   lex e-con-boxed e-con ...
```

#	Element	Relevant	Successes	Failures	Score
3	When a region without global site information is tagged as a contentinfo landmark, screen reader users may be misled about its purpose and expect website-level details, such as copyright or contact information.	Yes	Pass	-	100

Code snapshots of successful elements

```
<footer data-elementor-type="footer" data-elementor-id="10523" class="elementor elementor-10523 elementor-location-footer" data-elementor-post-type="elementor_library"> <div class="elementor-element elementor-element-d013445 e-flex e-con-boxed e-con ...
```

#	Element	Relevant	Successes	Failures	Score
4	The title attribute is announced inconsistently across screen readers and browsers, making it unreliable for labeling interactive controls. Because many users may never hear the content, reliance on the attribute risks loss of information. Instead, it should be used to provide extra help text in addition to a valid label.	Yes	Pass	-	100

Code snapshots of successful elements

```
<img src="https://precisefp.com/wp-content/uploads/2024/03/logo-footer.svg" title="logo-footer" alt="logo-footer" loading="lazy">
```

#	Element	Relevant	Successes	Failures	Score
5	Since aria-labelledby relies on valid id references, screen readers can only announce the label if the target exists. If the id is missing or invalid, the label will not be conveyed, causing users to miss important context.	Yes	6	0	100

Code snapshots of successful elements

1
```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-17913090436343325-2" role="group" aria-hidden="true" aria-labelledby="sm-17913090436343325-1" aria-expanded="false"> <li class="menu-item menu-item-type-custom menu-item-object-custom menu-item...
```

2
```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-17913090436343325-4" role="group" aria-hidden="true" aria-labelledby="sm-17913090436343325-3" aria-expanded="false"> <li class="menu-item menu-item-type-post_type menu-item-object-page menu-ite...
```

3
```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-17913090436343325-6" role="group" aria-hidden="true" aria-labelledby="sm-17913090436343325-5" aria-expanded="false"> <li class="menu-item menu-item-type-custom menu-item-object-custom menu-item...
```

4
```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-1791309043639924-2" role="group" aria-hidden="true" aria-labelledby="sm-1791309043639924-1" aria-expanded="false"> <li class="menu-item menu-item-type-custom menu-item-object-custom menu-item-1...
```

5
```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-1791309043639924-4" role="group" aria-hidden="true" aria-labelledby="sm-1791309043639924-3" aria-expanded="false"> <li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-...
```

6
```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-1791309043639924-6" role="group" aria-hidden="true" aria-labelledby="sm-1791309043639924-5" aria-expanded="false"> <li class="menu-item menu-item-type-custom menu-item-object-custom menu-item-1...
```

#	Element	Relevant	Successes	Failures	Score
6	Assigning a valid ISO language value to the <html> lang attribute ensures that screen readers use the correct pronunciation rules, browsers apply proper spell-checking and translation, and search engines index the content in the appropriate language.	Yes	Pass	-	100

Code snapshots of successful elements

```
<html lang="en-US"><head> <meta charset="UTF-8"> <meta name="viewport" conte
nt="width=device-width, initial-scale=1.0, viewport-fit=cover"> <meta name
="robots" content="index, follow, max-image-preview:large, max-snippet:-1, m
ax-video-preview:-1"> <s...
```

#	Element	Relevant	Successes	Failures	Score
7	Providing a meta viewport to control layout and scaling on mobile devices	Yes	Pass	-	100

Code snapshots of successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, viewpo
rt-fit=cover">
```

#	Element	Relevant	Successes	Failures	Score
8	Each page should normally include only one contentinfo landmark (usually the site footer) to keep landmark navigation simple and predictable. Additional contentinfo landmarks are permitted when clearly justified, but they must each have a unique accessible label.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
9	Figure elements are often incorrectly used to display images on the screen. Incorrectly using the figure tag, without providing a proper figcaption, adds unnecessary clutter to the screen reader user's experience.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
10	It's good practice to warn users about the expected behavior when activating a link triggers an image to appear.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
11	It's good practice to warn users about the expected behavior when activating a link triggers a mail application.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	It's good practice to warn users about the expected behavior when activating a link triggers a PDF reader.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
13	If an element’s aria-describedby attribute points to an id that does not exist or is not valid, assistive technologies will not convey the intended description, causing users to miss important context.	No	0	0	

This audit is subject to the **Terms of Service**